



# muse 2.0

MARBLE  
COMPACT

COLLECTION CATALOGUE

unicomstarker®

MARBLE

# **muse 2.0**




**unicomstarker®**


**Prezioso,  
raffinato,  
arreda  
senza bisogno  
d'altro.**

Precious,  
elegant,  
they will  
complete  
any room  
beautifully.


## **muse 2.0**




nero marquina




grey marble




calacatta gold



statuario



calacatta



reverse

# muse 2.0

## produzione - production

industriale - industrial

## spessore - thickness


9.5 mm - 10 mm

## usi - use

interni residenziali, bagni o locali commerciali e spazi pubblici  
housing environments, bathrooms or refined commercial locations as well as public spaces.

## formati - sizes

60x120 - 60x119,5 - 80x80 - 60x60 - 30x60 - 15x60 - 7,4x30



## decori - decoration

mosaico - Hexagon

## complementary pieces

battiscopa smaltato

calacatta gold

calacatta

reverse

nero marquinia

statuario

grey marble



# nero marquinia

**NERO MARQUINIA**  
polished 60x120 \_ 24"x48"









**NERO MARQUINIA**  
satin 60x60 - 30x60 - 24"x24" - 12"x24"



**NERO MARQUINIA**  
satin 80x80 - 32"x32"

12

UNICOMSTARKER  
MARBLE



**NERO MARQUINIA**

polished 30x60 - 15x60 \_ 12"x24" - 6"x24"

13

**MOUSE 2.0**



**NERO MARQUINIA**

wall polished 30x60 - 15x60 \_ 12"x24" - 6"x24"

floor polished 60x120 \_ 24"x48"



# grey marble

**GREY MARBLE**

floor polished 80x80 \_ 32"x32"

**NERO MARQUINIA**

wall polished 60x120 \_ 24"x48"







**GREY MARBLE**  
floor polished 80x80 \_ 32"x32"  
wall polished 7,4x30 \_ 3"x12"

18

UNICOMSTARKER  
MARBLE




**GREY MARBLE**

floor satin 60x119,5 \_ 24"x48"  
wall polished 60x119,5 \_ 24"x48"  
polished Hexagon 30x34 \_ 12"x13"

19

**muse 2.0**



**GREY MARBLE**  
polished 7,4x30 \_ 3"x12"



# calacatta gold

## CALACATTA GOLD

floor polished 60x119,5 \_ 24"x48"

wall polished 30x60 \_ 12"x24"









**CALACATTA GOLD**

wall polished 60x119,5 \_ 24"x48"

floor 60x119,5 \_ 24"x48" oXid Iron



**CALACATTA GOLD**

polished 80x80 \_ 32"x32"



# statuario

## STATUARIO

polished hexagon 30x34 \_ 12"x13"





**STATUARIO**

floor polished 60x119,5 \_ 24"x48"  
wall polished 60x119,5 \_ 24"x48"



**STATUARIO**

wall/floor polished 60x60 - 30x60 - 15x60 \_ 24"x24" - 12"x24" - 6"x24"



**STATUARIO**  
polished 80x80 \_ 32"x32"



**STATUARIO**  
polished 80x80 \_ 32"x32"



# calacatta

## CALACATTA

floor polished 60x119,5 \_ 24"x48"

wall 60x119,5 \_ 24"x48" oXid Titanium





**CALACATTA**

wall polished 60x119,5 \_ 24"x48"

floor polished 60x119,5 \_ 24"x48"



38

UNICOMSTARKER  
MARBLE



**CALACATTA**

polished 60x119,5 - 7,4x30 \_ 24"x48" - 3"x12"

39

**musc 2.0**



**CALACATTA**

polished 60x119,5 \_ 24"x48"

**reverse**



**REVERSE**

floor 60x120 \_ 24"x48"





**REVERSE**

wall polished 60x120 \_ 24"x48"

floor polished 60x120 \_ 24"x48"



**REVERSE**

floor polished 80x80 \_ 32"x32"

**NERO MARQUINIA**

wall 30x60 \_ 15x60

12"x24" \_ 6"x24"

46

UNICOMSTARKER  
MARBLE




**REVERSE**

floor polished 80x80 \_ 32"x32"

**muse 2.0**

# nero marquinia



# reverse





## calacatta gold



## grey marble



## statuario














## calacatta







## CARATTERISTICHE TECNICHE - TECHNICAL FEATURES

	standards	characteristics or properties	declared values
	ISO 10545-3	assorbimento d'acqua water absorption	< 0.5%
	ISO 10545-4	resistenza alla flessione (R) breaking strength	35 N/mm <sup>2</sup>
	ISO 10545-13	resistenza agli acidi resistance to acid	GLA
	ISO 10545-12	resistenza al gelo frost resistance	resiste frost proof
	ISO 10545-14	resistenza alle macchie stain resistance	4
	ISO 10545-2	ortogonalità orthogonality	± 0.6%
	ISO 10545-2	planarità surface flatness	± 0.5%
	ISO 10545-2	spessore (statuario - calacatta - calacatta gold - grey marble) thickness	9.5 mm
	ISO 10545-2	spessore (nero marquinia - reverse) thickness	10 mm
	DIN 51097 ANSI A 137.1 DCOF BOT3000 E	coefficiente d'attrito (scivolosità) Dynamic coefficient of friction	A+B > 0.42
		variazioni cromatiche color shade	V2 variazione leggera V2 slight variation

UNICOMSTARKER MUSE 2.0 COLLECTION  
IS A UNICOMSTARKER'S PROJECT

### CONTACTS

#### UNICOM SRL

via flumendosa 7  
41042 fiorano modenese  
modena italy  
T +39 (0)536 926011  
F italy +39 (0)536 926038  
F world +39 (0)536 926033  
F europe +39 (0)536 926023  
unicomstarker.com

#### UNICOMSTARKER SHOWROOM

via flumendosa 7  
41042 fiorano modenese  
modena italy  
T +39 (0)536 926011



Quanto contenuto nel catalogo è indicativo e non esaustivo riguardo a grafiche, decori, colori, imballi e dimensioni.

The content of this catalogue is only indicative and not exhaustive in respect of graphics, decorations, colours, packaging and sizes

Le contenu de notre catalogue concernant les decors, coloris, graphiques, emballage et dimensions est indicatif.

Was im Katalog enthalten ist, ist ein Hinweis und nicht erschöpfend in Bezug auf Grafiken, Dekorationen, Farben, Verpackung und Abmessungen.





think  
outside  
the box

