

NATIONAL DECLARATION OF PERFORMANCE

nr BDBL/2020

1. TYPE DESIGNATION OF THE CONSTRUCTION PRODUCT: SANITARY FAUCETS UNDER CODES:

a. BQT 011D	q. BQT N31D	gg. BGY 062D
b. BQT 014D	r. BQT N54D	hh. BGY M62D
c. BQT 021D	s. BOS_011D	ii. BQT 020D
d. BQT 025D	t. BOS_020D	jj. BQT 030D
e. BQT 031D	u. BOS_041D	kk. BQT M20D
f. BQT 054D	v. BOS_050D	ll. BQT M30D
g. BQT M11D	w. BOS_060D	mm. BQT N20D
h. BQT M14D	x. BOS_080D	nn. BQT N30D
i. BQT M21D	y. BON 011D	
j. BQT M25D	z. BON 020D	
k. BQT M31D	aa. BON 041D	
l. BQT M54D	bb. BON 050D	
m. BQT N11D	cc. BON 060D	
n. BQT N14D	dd. BON 080D	
o. BQT N21D	ee. BGX 062D	
p. BQT N25D	ff. BGX M62D	

2. INTENDED USE OR USES: USED FOR EQUIPPING SANITARY DEVICES INSTALLED IN THE ROOMS USED FOR HYGIENIC PURPOSES (DRESSING ROOMS, BATHROOMS ETC.) AND KITCHENS.
3. NAME AND ADDRESS OF THE MANUFACTURE: Deante sp. z o.o. ul. Twarda 11/13, 95-100 Zgierz
4. NAME AND ADDRESS OF THE AUTHORIZED REPRESENTATIVE IF IT HAS BEEN ESTABLISHED: N/A.
5. THE NATIONAL SYSTEM USED TO ASSESS AND VERIFY THE CONSTANCY OF PERFORMANCE : 4.
6. NATIONAL TECHNICAL SPECIFICATION:
 - a. POLISH PRODUCT STANDARD: PN-EN 200:2008.

7. DECLARED PERFORMANCES:

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES	TECHNICAL SPECIFICATION	REMARK
For all product parts fall within PN-EN 200:2008			
MATERIALS	pass	PN-EN 200:2008	PART 5
DIMENSIONAL CHARACTERISTICS	pass	PN-EN 200:2008	PART 6
LEAKTIGHTNESS CHARACTERISTICS	pass	PN-EN 200:2008	PART 8
PRESSURE RESISTANCE CHARACTERISTICS	pass	PN-EN 200:2008	PART 9
HYDRAULIC CHARACTERISTICS (FLOW RATE): class	pass for pressure 0,3 MPA a. BQT 011D – S/A b. BQT 014D – S/A c. BQT 021D – A d. BQT 025D – A e. BQT 031D – Z f. BQT 054D – A g. BQT M11D – S/A h. BQT M14D – S/A i. BQT M21D – A j. BQT M25D – A k. BQT M31D – Z l. BQT M54D – A m. BQT N11D – S/A n. BQT N14D – S/A o. BQT N21D – A p. BQT N25D – A q. BQT N31D – Z r. BQT N54D – A s. BOS_011D – S/B t. BOS_020D – S u. BOS_041D – S v. BOS_050D – S w. BOS_060D – S x. BOS_080D – S y. BON 011D – S/B z. BON 020D – S aa. BON 041D – S bb. BON 050D – S cc. BON 060D – S dd. BON 080D – S ee. BGX 062D – A ff. BGX M62D – A gg. BGY 062D – A hh. BGY M62D – A ii. BQT 020D – A jj. BQT 030D – Z kk. BQT M20D – A ll. BQT M30D – Z mm. BQT N20D – A nn. BQT N30D – Z	PN-EN 200:2008	PART 10
MECHANICAL STRENGTH CHARACTERISTICS	Pass	PN-EN 200:2008	PART 11
MECHANICAL ENDURANCE CHARACTERISTICS	Pass	PN-EN 200:2008	PART 12
BACKFLOW PROTECTION	Pass	PN-EN 200:2008	PART 13
ACOUSTIC CHARACTERISTICS: group	a. BQT 011D – grup I b. BQT 014D – grup I c. BQT 021D – grup I d. BQT 025D – grup I e. BQT 031D – grup I f. BQT 054D – grup I	PN-EN 200:2008	PART 14

ESSENTIAL CHARACTERISTICS OF THE CONSTRUCTION PRODUCT FOR THE INTENDED USE OR USES	DECLARED PERFORMANCES	TECHNICAL SPECIFICATION	REMARK
	g. BQT M11D – grup I h. BQT M14D – grup I i. BQT M21D – grup I j. BQT M25D – grup I k. BQT M31D – grup I l. BQT M54D – grup I m. BQT N11D – grup I n. BQT N14D – grup I o. BQT N21D – grup I p. BQT N25D – grup I q. BQT N31D – grup I r. BQT N54D – grup I s. BOS_011D – grup II t. BOS_020D – grup II u. BOS_041D – grup II v. BOS_050D – grup II w. BOS_060D – grup II x. BOS_080D – grup II y. BON_011D – grup II z. BON 020D – grup II aa. BON 041D – grup II bb. BON 050D – grup II cc. BON 060D – grup II dd. BON 080D – grup II ee. BGX 062D – grup II ff. BGX M62D – grup II gg. BGY 062D – grup II hh. BGY M62D – grup II ii. BQT 020D – grup I jj. BQT 030D – grup I kk. BQT M20D – grup I ll. BQT M30D – grup I mm. BQT N20D – grup I nn. BQT N30D – grup I		

8. THE PERFORMANCES OF THE PRODUCT IDENTIFIED ABOVE ARE COMPATIBLE WITH ALL DECLARED PERFORMANCES LISTED IN POINT 8. PRESENTED NATIONAL DECLARATION OF PERFORMANCE IS ISSUED IN ACCORDANCE WITH THE ACT OF 16TH APRIL 2004 ON CONSTRUCTION PRODUCTS, ON THE SOLE RESPONSIBILITY OF THE MANUFACTURE.

ZGIERZ, 2020-01-28

Update: -09-09-2021
Update: -22-11-2022



Wojciech Borkowski
PREZES ZARZADU
DEANTE Sp. z o.o.

Wojciech Borkowski

