



# INSTALLATION AND USE MANUAL

FREE-STANDING BATHTUB  
ANTICA

 **KERRA**<sup>®</sup>

[www.kerra.pl](http://www.kerra.pl)

# INSTALLATION AND USE MANUAL FREE-STANDING BATHTUB ANTICA

Thank you for purchasing our product. Before you begin installing the bathtub, please read the instructions carefully. The diagrams and drawings included in the instructions are simplified and contain only the details necessary for the correct installation of the product.

**NOTE:** Failure to follow the recommendations included in this manual may be grounds for rejecting the complaint.



## NOTES BEFORE INSTALLATION

1. The room where the bathtub will be installed should have an efficient and effective ventilation and heating system. The bathtub cannot be installed in rooms where the air temperature can drop below 15°C.
2. The place where the bathtub is installed should have an even, horizontal floor at the same level as the rest of the room.
3. The bathtub is not designed for built-in installation. The bathtub cannot be permanently attached to the walls or floor of the room.
4. The temperature of hot water in the installation does not exceed 65°C.
5. The bathtub is designed for installation with dedicated Antica drainage.
6. The bathtub is designed for installation with a dedicated frame with Antica legs.

## BATHTUB INSTALLATION



Accessories must be installed according to the instructions supplied with them.



## NOTES ON SAFETY, USE AND FEATURES OF THE BATHTUB

1. For safety reasons, no electrical appliances may be used in the bathtub. Such appliances should be kept out of reach of people using the bathtub.
2. Do not leave metal objects in the tub. They may corrode.
3. For safety reasons, children should use the bathtub under adult supervision.
4. All repairs should be performed by a professional installer.
5. The bathtub is intended for non-commercial home use only.
6. Persons under the influence of alcohol or drugs should not use the bathtub.
7. Do not allow the bathtub to come into contact with water above 65°C, open flames or incandescent objects.
8. Even the slightest contamination with nail polish or hairspray is not allowed.
9. Do not use the bathtub if it is damaged.
10. The permissible load capacity of the bottom of the bathtub is 100 kg/0.5 m<sup>2</sup> but not more than the entire bottom surface. Only one person can use the bathtub at a time.
11. Even if the tub is leveled correctly, it is possible that there will be areas of water remaining on the bottom. This is a natural phenomenon caused by surface tension.
12. The surface of the tub can become slippery when wet. The risk of slipping is greater if the water is mixed with soap or shampoo.
13. It is not recommended to use oils/salts, especially those that intensively colour the water - they may leave impossible-to-remove stains on the surface of the bathtub.
14. Dimensional tolerances: for dimensions ≤ 1000 mm - ± 5 mm; for dimensions > 1000 mm - ± 10 mm.
15. It is not recommended to use substitutes from other manufacturers. Differences in parameters may affect the correct operation of the product.

## BATHTUB MAINTENANCE

1. After each use, the bathtub should be thoroughly rinsed with clean water and wiped with a soft, damp cloth - prolonged contact of the bathtub surface with personal hygiene products may damage its surface. Ensure good ventilation of the room until it dries completely. The cloth used must not contain any fibers that have abrasive or scratching effect.
2. The surface of the bathtub should be cleaned using mild detergents and a soft cloth. It is recommended to use a liquid soap solution. After cleaning, rinse the tub thoroughly with clean water and dry - prolonged contact of the bathtub surface with detergents may cause damage to its surface.



Do not use aggressive agents containing corrosive, irritating or abrasive substances. They can damage the surface of the bathtub. The cloth used must not contain fibers with abrasive or scratching effects.

3. To remove limescale and stone deposits, you can use citric acid diluted with water in a ratio of 1:5. The descaled surfaces should be thoroughly rinsed with clean water and dried. Prolonged contact of the bathtub with the agent may cause damage to its surface.
4. If minor scratches occur on the surface of the bathtub, use paper towels (#2000) wet sand the damaged surface and then polish polishing paste and polishing tools.

 **KERRA**®

**NOVOTERM**®  
postaw na komfort

Producer:  
NOVOTERM Sp. z o.o.  
ul. Zimowa 6, 70-807 Szczecin  
[www.novoterm.pl](http://www.novoterm.pl)